

A005-218

Dynamic standing training with maximum freedom of movement



• = Equipment variant • = Accessory

Name	Item no.	Equipment
Base unit coro	A002-307	•
Balance unit long with low spring resistance	A002-312	•
Simple knee support	A002-316	•
Pelvic safety strap	A002-349	•
Upper pipe frame	A002-309	•
Tread extension connection part	A004-915	0
Tread extension mid-part	A004-916	0
Tread extension ramp part	A004-917	0
Tread extension set including ramp, magnetic	A004-273	0
Fall protection belt incl. seat board	A004-278	0
Table unit	A005-041	0
Cushion set for upper pipe frame	A004-808	0
Arm support cushion	A002-428	0
THERA-soft	A006-630	0
Media station incl. PC	A008-119	0
Feedback sensor type A	A003-881	0
Wireless receiver for PC	A004-020	0
Feedback sensor fixing set	A003-978	0

Dynamic standing training with maximum freedom of movement



coro 576

Product specifications	
Product description	THERA-Trainer coro is a non-powered training device that provides a safe environment to train standing and balancing (postural control) and generally redevelop muscles.
Special product features	 Two training devices in one: Enables task-oriented, dynamic and safe training of postural control (dynamic training) as well as fast and easy verticalisation (rigid standing training). Training postural control in a fall-safe environment: Postural control forms the basis of all day-to-day activities. This central concern (rehabilitation) can be trained effectively through repetitive training at the performance limit. No risk of falling as the body is secured in a standing position. Quick and easy cleaning: Due to smooth surfaces, thorough cleaning and disinfection possible. Individually adjustable: Easy and quick adjustment to the user's individual needs without tools. Future-oriented treatment: The THERA-Trainer coro can be integrated into a THERA-Trainer complete solution at any time.
Place of use	Suitable for use in enclosed spaces in facilities e.g. clinics, nursing homes, therapy practices
Technical specification	 Dimensions (L/W/H): 122 / 93 / 92 - 130 cm if required, Media station with Tripod: 55 / 75 / 192 cm and Display: 109,9 / 63,3 / 5,5 cm Weight: approx. 77 kg and, if applicable, plus Media station approx. 47 kg Ambient conditions when in use: Temperature: 5 °C to 40 °C Relative humidity: 15 % to 93 % Rh Air pressure: 700 hPa to 1060 hPa Sound emission: LpA < 45 dB (A) Service life: 10 years
Compatibility	THERA-soft
Patient requirements	- Patient weight: max. 140 kg - Patient height: 135 - 200 cm
Delivery and commissioning	 Packaging (L/W/H): 140 / 100 / 115 cm plus Media Station incl. PC, if applicable: 80 / 80 / 115 cm Delivery: Shipping palettes Transport and storage conditions: Temperature: -25 °C to 70 °C Relative humidity: 5 % to 93 % Rh Air pressure: 700 hPa to 1060 hPa Commissioning: by authorised specialists
Service/Maintenance	 Service: only by authorised service technicians Maintenance: Balance unit and pelvic safety strap: Replace after 5 years Technical inspection: safety inspection every 24 months (manufacturer recommendation)
Registration	- Medical device class: - CE marking: CE